


- 78-Spring
- 80-Tread
- 84-Thermo-insulated hatch
- 86-Hinge
- 88-Side bracket
- 94-Stringer (ladder side element)
- 686-Lining slats LXL-PVC FAKRO
- 711-Plastic fastener (the so-called "click")

	S	Z	G
	Tread width	Tread thickness	Distance between treads
[cm]	[cm]	[cm]	[cm]
	4	8	25

Loft ladder dimensions										
H	A	B	K	R	C	E	T	WxL	MxN	
Room height	Width ceiling opening dimensions	Length ceiling opening dimensions	Folded ladder height	Swing space	Distance after ladder unfolding	Tread length	Box height	Box external dimensions	Internal box dimensions	
[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	
280	55	111	27	153	113	30	34	14	53x109,4	49x105
	60	111		153	113				58x109,4	54x105
	60	120		156	120				58x118,4	54x114
	60	130		156	120				58x128,4	54x124
	70	111		153	113				58x109,4	64x105
	70	120		156	120				68x118,4	64x114
	70	130		156	120				68x128,4	64x124
305	60	140	156	120	68x138,4	64x134				
	60	130	175	135	58x128,4	54x124				
	60	140	175	135	58x138,4	54x134				
	70	130	175	135	68x128,4	64x124				
	70	140	175	135	68x138,4	64x134				

**FAKRO**

LWS



Warning! The present drawing is for informational-demonstrative purposes only and as such cannot constitute a basis for performance. All dimensions presented in this drawing should be verified on site. Because of the fact that the drawing is a schematic one, FAKRO shall not assume any responsibility for the actual installation quality on the roof. This drawing is FAKRO's property and cannot be published or used publicly without our written consent.

Technical drawing:  
The LWS 3-section Loft Ladder

FORMAT:  
A4

SCALE:  
1:20/1:10

DATE:  
08.2015